FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ MITER TRIM ☐ NOTCH JAMBS (HEADER REST ON TOP OF JAMBS)

☐ SQUARE CUT TRIM ☐ NOTCH HEADS (HEADER CUT NET BETWEEN JAMBS)



OPENING SIZE: X

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING

HINGE:	X (°)
STRIKE:	
TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER_ _ _ _ _
DOOR FRAME SEAL:	☐ GRY ☐ BLK
SCRIBE:	☐ YES ☐ 1" ☐ 2" ☐ NO ☐ 1-1/2"
INTUMESCENT IN JAMBS (CONCEALED):	☐ YES ☐ NO



ABS-AC - "E" FRAME

DOORMERICA Products

ABS - Architectural Components

Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :	JOB NAME :	
ABS-AC FORM ABS-AC P1	P.O. NUMBER :	PAGE / OF

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ MITER TRIM ☐ NOTCH JAMBS (HEADER REST ON TOP OF JAMBS)

☐ SQUARE CUT TRIM ☐ NOTCH HEADS (HEADER CUT NET BETWEEN JAMBS)



OPENING SIZE: X

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING

HINGE:	X (•)
FLUSHBOLT:	
TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER_____
DOOR FRAME SEAL:	☐ GRY ☐ BLK
SCRIBE:	☐ YES ☐ 1" ☐ 2" ☐ NO ☐ 1-1/2"
INTUMESCENT IN JAMBS (CONCEALED):	☐ YES ☐ NO



ABS-AC - "E" FRAME

DOORMERICA Products

ABS - Architectural Components

Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :	JOB NAME :	
ABS-AC FORM ABS-AC P2	P.O. NUMBER :	PAGE / OF

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ MITER TRIM ☐ NOTCH JAMBS (HEADER REST ON TOP OF JAMBS)

☐ SQUARE CUT TRIM ☐ NOTCH HEADS (HEADER CUT NET BETWEEN JAMBS)



MARK FRAMES BY NUMBER \ SPECIAL PACKAGING

DOOR OPENING SIZE: X

OVERALL ROUGH OPENING SIZE: X

HINGE: X (°)

STRIKE:

TRIM: ☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____

FRAME FINISH: ☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER_ _ _ _ _

DOOR FRAME SEAL: ☐ GRY ☐ BLK

SCRIBE: ☐ YES ☐ 1" ☐ 2" ☐ NO ☐ 1-1/2"

INTUMESCENT IN JAMBS (CONCEALED): ☐ YES ☐ NO



"E" FRAME W/ INTEGRAL SIDELITE FRAME

DOORMERICA Products

ABS - Architectural Components

Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

JOB NAME :

ABS-AC FORM ABS-AC P3

P.O. NUMBER :

PAGE **OF**

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ MITER TRIM ☐ NOTCH JAMBS (HEADER REST ON TOP OF JAMBS)

☐ SQUARE CUT TRIM ☐ NOTCH HEADS (HEADER CUT NET BETWEEN JAMBS)



OPENING SIZE: X

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING

HINGE:	X (°)
STRIKE:	
TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER_ _ _ _ _
DOOR FRAME SEAL:	☐ GRY ☐ BLK
SCRIBE:	☐ YES ☐ 1" ☐ 2" ☐ NO ☐ 1-1/2"
INTUMESCENT IN JAMBS (CONCEALED):	☐ YES ☐ NO



ABS-AC - STD. FRAME

DOORMERICA Products

ABS - Architectural Components

Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :	JOB NAME :	
ABS-AC FORM ABS-AC S4	P.O. NUMBER :	PAGE / OF

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ MITER TRIM ☐ NOTCH JAMBS (HEADER REST ON TOP OF JAMBS)

☐ SQUARE CUT TRIM ☐ NOTCH HEADS (HEADER CUT NET BETWEEN JAMBS)



OPENING SIZE: X

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING

HINGE:	X (°)
FLUSHBOLT:	
TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER_____
DOOR FRAME SEAL:	☐ GRY ☐ BLK
SCRIBE:	☐ YES ☐ 1" ☐ 2" ☐ NO ☐ 1-1/2"
INTUMESCENT IN JAMBS (CONCEALED):	☐ YES ☐ NO



ABS-AC - STD. FRAME

DOORMERICA Products

ABS - Architectural Components
Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :	JOB NAME :	
ABS-AC FORM ABS-AC P5	P.O. NUMBER :	PAGE / OF

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ MITER TRIM ☐ NOTCH JAMBS (HEADER REST ON TOP OF JAMBS)

☐ SQUARE CUT TRIM ☐ NOTCH HEADS (HEADER CUT NET BETWEEN JAMBS)



OPENING SIZE: X

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING



ABS-AC - ADJUSTABLE FRAME

HINGE:	X (°)
STRIKE:	
TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER _____
DOOR FRAME SEAL:	☐ GRY ☐ BLK
SCRIBE:	☐ YES ☐ 1" ☐ 2" ☐ NO ☐ 1-1/2"
INTUMESCENT IN JAMBS (CONCEALED):	☐ YES ☐ NO

DOORMERICA Products

ABS - Architectural Components

Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :	JOB NAME :	
ABS-AC FORM ABS-AC P6	P.O. NUMBER :	PAGE / OF

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ MITER TRIM ☐ NOTCH JAMBS (HEADER REST ON TOP OF JAMBS)

☐ SQUARE CUT TRIM ☐ NOTCH HEADS (HEADER CUT NET BETWEEN JAMBS



OPENING SIZE: X

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING

HINGE:	X (°)
FLUSHBOLT:	
TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER_ _ _ _ _ _
DOOR FRAME SEAL:	☐ GRY ☐ BLK
SCRIBE:	☐ YES ☐ 1" ☐ 2" ☐ NO ☐ 1-1/2"
INTUMESCENT IN JAMBS (CONCEALED):	☐ YES ☐ NO



ABS - ADJUSTABLE FRAME

DOORMERICA Products

ABS - Architectural Components

Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :	JOB NAME :	
ABS-AC FORM	P.O. NUMBER :	PAGE / OF
ABS-AC P7		

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ MITER TRIM

☐ SQUARE CUT TRIM

☐ INTEGRAL SIDELITE

☐ NOTCH JAMBS (HEADER REST ON TOP OF JAMBS)

☐ NOTCH HEADS (HEADER CUT NET BETWEEN JAMBS

SIDELITE SIZE (I.D.) : _____ X _____



MARK FRAMES BY NUMBER \ SPECIAL PACKAGING

_____

_____

_____

_____

_____

_____

_____

_____

_____

DOOR OPENING SIZE: _____ X _____

OVERALL ROUGH OPENING SIZE: _____ X _____



ABS-AC DOOR W/ INTEGRAL SIDELITE FRAME

HINGE:	X (°)
STRIKE:	
TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER_ _ _ _ _
DOOR FRAME SEAL:	☐ GRY ☐ BLK
SCRIBE:	☐ YES ☐ 1" ☐ 2" ☐ NO ☐ 1-1/2"
INTUMESCENT IN JAMBS (CONCEALED):	☐ YES ☐ NO
GLASS THICKNESS:	☐ 1/4" ☐ 1/2" ☐ 3/8"
GLAZING BEAD COLOR::	☐ GRY ☐ BLK
INSTALLATION:	☐ CLIPS ☐ SCREWRACE

DOORMERICA Products

ABS - Architectural Components

Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :	JOB NAME :	
ABS-AC FORM	P.O. NUMBER :	PAGE / OF
ABS-AC P8		

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

BORROWED LITE (FULL-BOUND) CUSTOM WINDOW

☐ **MITER TRIM** ☐ **NOTCH JAMBS** (HEADER REST ON TOP OF JAMBS)

☐ **SQUARE CUT TRIM** ☐ **NOTCH HEADS** (HEADER CUT NET BETWEEN JAMBS)

ROUGH OPENING SIZE: X

(INCLUDE ALL DIMENSIONS ON DETAILS)

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING

TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER _____
GLASS THICKNESS:	☐ 1/4" ☐ 1/2" ☐ 3/8"
GLAZING BEAD COLOR:	☐ GRY ☐ BLK
INSTALLATION:	☐ CLIPS ☐ SCREWRACE

DOORMERICA Products

ABS - Architectural Components

Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

JOB NAME :

ABS-AC FORM	P.O. NUMBER :	PAGE	OF
ABS-AC P9			

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ **MITER TRIM** ☐ **NOTCH JAMBS** (HEADER REST ON TOP OF JAMBS)

☐ **SQUARE CUT TRIM** ☐ **NOTCH HEADS** (HEADER CUT NET BETWEEN JAMBS)



OPENING SIZE: X

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING



ABS - ADJUSTABLE "E" FRAME

HINGE:	X (•)
FLUSHBOLT:	
TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER _____
DOOR FRAME SEAL:	☐ GRY ☐ BLK
SCRIBE:	☐ YES ☐ 1" ☐ 2" ☐ NO ☐ 1-1/2"
INTUMESCENT IN JAMBS (CONCEALED):	☐ YES ☐ NO

ABS - Architectural Components
Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME : **JOB NAME :**

ABS-AC FORM	P.O. NUMBER :	PAGE	OF
ABS-AC P10			

FRAME DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS		CLOSER		LABEL	
			WIDTH (IN)	HEIGHT (IN)	REG.	PAR.	20	90

☐ MITER TRIM ☐ NOTCH JAMBS (HEADER REST ON TOP OF JAMBS)

☐ SQUARE CUT TRIM ☐ NOTCH HEADS (HEADER CUT NET BETWEEN JAMBS)



OPENING SIZE: X

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING



ABS - ADJUSTABLE "E" FRAME

HINGE:	X (•)
STRIKE:	
TRIM:	☐ 1" STANDARD ☐ 2" TRIM ☐ 1-1/2" FULL FACE ☐ OTHER _____
FRAME FINISH:	☐ CLR ☐ BLK ☐ DK BRZ ☐ PTD ☐ OTHER_____
DOOR FRAME SEAL:	☐ GRY ☐ BLK
SCRIBE:	☐ YES ☐ NO ☐ 1" ☐ 1-1/2" ☐ 2"
INTUMESCENT IN JAMBS (CONCEALED):	☐ YES ☐ NO

DOORMERICA Products

ABS - Architectural Components

Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :		**JOB NAME :**	
ABS-AC FORM	**P.O. NUMBER :**	**PAGE**	**OF**
ABS-AC P11			

DOOR DATA:

QTY	MARK NUMBER	SWING	DIMENSIONS WIDTH	DIMENSIONS HEIGHT

MARK FRAMES BY NUMBER \ SPECIAL PACKAGING



HINGE: 4-1/2X4-1/2 (°)

CYL LOCK BACKSET:

86 PREP:

PIVOT HINGE PREP:

CYL DEADBOLT:

GLASS BEAD: ☐ BLACK ☐ GREY

GLASS: ☐ OPEN ☐ WHITE LAMI ☐ REED ☐ CLEAR TEMP ☐ RAIN ☐ OBSCURE P516

DOORMERICA Products

ABS - Architectural Components
Toll Free Number: (866) 566-2161

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

JOB NAME :

ABS-AC FORM ABS-AC P12

P.O. NUMBER :

PAGE **OF**