

Subject: Leadership in Energy and Environmental Design (LEED)

The LEED (Leadership in Energy and Environmental Design) Green Building Rating System was originally developed by the U.S. Green Building Council (USGBC) to provide a recognized standard for the construction industry to assess the environmental sustainability of building designs.

ABS Manufacturing is committed to engineering our manufacturing processes so that we may assist our customers in achieving their LEED certification rating. The chart below lists all of our product lines and what total LEED credits can be earned.

LEED Credit	LEED Criteria	Product Lines - Standard Construction						
		Minimum quantities and special lead times may apply						
Materials & Resources		Encore PBC Core	Encore Foam Core	Infinity PBC Core	Infinity Mineral Core	Ovation	Intumescent Core	Bravo
MR 4	Recycled Content: 10% Pre-Consumer - 1 point	YES	YES	YES	No	YES	No	YES
	Recycled Content: 20% Pre-Consumer - 2 points	YES	YES	YES	No	YES	No	YES
MR 5	Regional materials: 10% if within 500 miles - 1 point	YES*	YES*	YES*	YES*	YES*	YES*	YES*
	Regional materials: 20% if within 500 miles - 2 points	YES*	YES*	YES*	YES*	YES*	YES*	YES*
MR 6.0	Rapidly Renewable Materials:	No	No	No	No	No	No	No
MR 7.0	Certified Wood:	No***	No***	No***	No***	No***	No***	No***
Indoor Environmental Quality								
EQ 4.1	Low Emitting Materials: Adhesives & Sealants	YES**	YES**	YES**	YES**	YES**	YES**	YES**
EQ 4.2	Low Emitting Materials: Paints & Coatings	YES**	YES**	YES**	YES**	YES**	YES**	YES**
EQ 4.4	No Added Urea Formaldehyde	No	No	No	No	No	No	No
Innovation in Design								
ID2	LEED AP	YES	YES	YES	YES	YES	YES	YES

*Location of project determines eligibility. Extracted and Manufactured, Harvested or Recovered within 500 mile radius of project site.

**EQ 4.1 & 4.2 applies to adhesives, sealants, paints and coatings applied at project site.

***MR 7.0 Certified Wood available as FSC MIX 10% only.